



## VINYL CUTTER S II SERIES







### **FEATURES**







Low noise



Mac compatible



64 bit compatible



Plug & play



Servo motors



High precision



LAP0S



DrawCut LITE Cutting software

### VINYL CUTTER S II SERIES

The S II vinyl cutter series is intended for professional users who need the highest level of performance. The S II models feature a new and attractive design by Secabo. An easy-to-understand menu navigation with integrated calibration wizard comfortably guides users through all steps. The Secabo SII vinyl cutters operate on extremely quiet and precise servo motors, and offer a high throughput. With a maximum pressure up to 750 grams they are capable of processing complex cutting tasks and thick media.

All common materials with a cutting width of up to 63 or 126cm can be processed - from plotting vinyl, self-adhesive films and flex or flock films over stencil films to paper and cardboard. Optimal results are achieved by using the LAPOS contour cutting technology and the multilingual cutting software DrawCut LITE, which is included. The supplied stand with a roll mount offers additional convenience.





#### New optimized controller – so you can keep track of everything

The controller of the Secabo cutting plotter has been optimized for smooth use and easy access to all important functions. The adapted design and the improved menu navigation should ensure an even better overview of the daily work routine.



## DrawCut LITE cutting software – standard on board!

The multilingual cutting software DrawCut LITE for Windows is included in the scope of delivery. DrawCut LITE not only reliably handles design and layout tasks and imports a wealth of graphic file formats, but also steers the Print&Cut applications of LAPOS 2, DrawCut LITE has many powerful text tools, vector functions, plotting and weeding tools and is therefore the ideal cutting software for quickly achieving professional plotting results with little training.



# Sturdy stand with roll holder – because order must be orderly


A sturdy stand is of course also included in the scope of delivery. The roll holder makes working particularly fun: film rolls are unwound smoothly and jerk-free, ensuring high precision even with long plots.

#### **ACCESSORIES VINYL CUTTER**



#### Drag knife

For all Secabo vinyl cutters, carbide, cutting angles from 30°, 45° or 60° - depending on the application area, offset 0.25mm.



#### Plot surfaces

Easily self-adhesing, can even be used with very thin and fragile films. Available in A4, A3 and 60cm × 90cm.



#### Blade holder

For all current and all older models, ball-bearing aluminum blade holder, blade immersion depth can be set via an adjusting screw, comfortable ejecting by a spring pin.



#### Catch-up basket

For all current and all older models. Ideal protection of media against dirt, dust, static charges and, at the same time, a practical container for falling film waste.



#### **SignCut**

Efficient cutting software for MAC OS and Windows. SignCut supports you during the entire production process SignCut Pro is always up to date, compatible with all Corel Draw and Adobe Illustrator versions. No LAPOS support.





Items included



**S60 II** 



#### **TECHNICAL DATA**

Max. Media width	720mm	1350mm	
Max. Cutting width	630mm	1260mm	
Max. Media thickness	1mm	1mm	
Max. cutting speed	960 mn	960 mm/s	
Drive	Servo mo	Servo motors	
Contact pressure	50 - 75	50 - 750g	
Machanical resolution	0.0125/	0.0125/mm	

Mechanical resolution 0.01254mm

Connections USB

Contour cut function LAPOS, 4 crop marks

Internal memory Backlit graphic LCD, gel buttons

Weight without packaging 12kg 22kg

Weight with packaging and stand 22kg 32kg

Dimensions 92cm×26cm×26cm 160cm×26cm×26cm

Vinyl cutter, multilingual cutting software DrawCut LITE (Windows) or SignCut 1-year license (Mac), drag knife, ball-bearing knife holder, plot pen, DIN A3 plot surface, stand with roll mount, connection cable





Huvudkontor SIGRAPHIC KB Arenavägen 29 121 77 Globen/Johanneshov Besöksadress Storgatan 79 362 30 Tingsryd Telefon +46 (0) 477 100 04 Hemsida www.sigraphic.se E-post marknad@sigraphic.se